



OXY

MAGNETIC WATER SOFTENERS





Let's open new life with the magnetization of living water!


Anti-fouling, activation of water quality, disinfection, degradation of residual chlorine, high solubility, high permeability!

Physical Technology of Our Water Softener


No energy consumption, but energy saving and environmental protecting!

Relying on fine and powerful magnetic field lines, the water is cut into hundreds of millions of nano units to improve the energy of water activity. Pure physical treatment for pollution-free, non-row of waste water to eliminate waste water, environmental protection and energy security.

Magnetization schematic





Magnetization micrograph




Water molecular bond angle of 104.5 degrees

The shadow part is the magnetic field



Residential using magnetic water softeners


Model No.	Picture	Connect port length(mm)	Water flow(Ton/hr)	Magnet power(Gauss)	Total length(mm)	Diameter (mm)
VR-WS-D-001		20mm(1/2")	2	6000	120mm	51mm
VR-WS-D-002		20mm(1/2")	2	6000	160mm	51mm
VR-WS-D-003		20mm(1/2")	2	6000	200mm	51mm
VR-WS-D-004		20mm(1/2")	2	6000	320mm	51mm
VR-WS-D-005		20mm(1/2")	3	9000	320mm	63mm
VR-WS-D-006		20mm(1/2")	2	6000	400mm	51mm
VR-WS-D-007		20mm(1/2")	3	9000	400mm	63mm
VR-WS-D-008		20mm(1/2")	3	9000	400mm	89mm
VR-WS-D-009		25mm(3/4")	3	9000	250mm	63mm
VR-WS-D-010		25mm(3/4")	3	9000	320mm	63mm
VR-WS-D-011		25mm(3/4")	3	9000	400mm	63mm
VR-WS-D-012		25mm(3/4")	3	9000	400mm	89mm
VR-WS-D-013		1 inch	4	9000	400mm	89mm
VR-WS-D-014		2 inch	6	9000	400mm	89mm


Industrial & Irrigation using magnetic water softeners



Model NO.	Pictures	Connect port(Inch)	Water flow(Ton/hr)	Magnet power(Gauss)	Water pressure resistance(KG)
VR-WS-D-015		1	4.9	9000	3
VR-WS-D-016		1.5	19	9000	5
VR-WS-D-017		2	50	9000	8
VR-WS-D-018		2.5	80	9000	10
VR-WS-D-019		3	125	9000	12
VR-WS-D-020		4	180	9000	18

Product parameters

- * Excellent quality, simple and convenient, healthy drinking water
- * Specifications: (for connector) 20mm,25mm, 1 inch, 2 inches,etc
- * Lifespan: more than 50 years
- * Applicable water quality: tap water, well water and so on
- * Applicable water temperature: not more than 80 degrees
- * Using environment: the total pipeline, kitchen, water heaters, showers and so on.







* Product Features:

Elegant appearance looks beautiful, good quality makes product long lasting, safe and convenient, suitable for house, hotels, school and so on. Small molecules make water energy active, anti-fouling, reducing residual chlorine harmfulness, sterilization and algae; maintenance is simple and convenient, once investment for long-term use!

* Product Benefits:

1. Activate cells, enhance cell ATP2, enhance cell permeability;

2.Regulate cell acid-base balance, enhance cell metabolism, enhance cell-interface effects, stripping of cell pathogens;


3.Improve cell regeneration and regeneration capacity, lipid-lowering blood pressure, softening blood vessels, improve micro-circulation;

4.Anti-inflammatory anti-ulcer, prevent stones, anti-aging, elimination of free radicals in the body, enhance immunity;

5.Improve human disease resistance and self-healing ability.

* Super strong magnetic force

The magnetizer uses the world's super-magnetic materials, NdFeB magnetic materials as raw materials, changing the structure of an ordinary magnetizer, when water flow through the super-magnetic field, it speed up the flow of water, so that every drop of water is well magnetized, resulting in small molecules of water, with small size, ability, magnetic and other characteristics.



* Avoid magnetic treatment

The magnetizer is produced with the design of precision magnetic circuit, all the magnetic field lines generated by NdFeB are all concentrated in the center tube, this whole shielding design prevent the phone, TV, magnetic cards, watches and the human body from any adverse effects, please use without any worry.

* Long-term benefits

The magnetizer is made of NdFeB magnets. The magnetic material is not touched by water and will never demagnetize. The whole house is made of 304 stainless steel. Its service life is more than 50 years. The investment is benefit for a long time.

* Stainless steel

The magnetizer as a whole 304 stainless steel house, from the inside to the outside, will not rust, to ensure the water quality of pure, healthy, safe and effective to avoid secondary pollution, just use at ease.

How does the water softener work?

* Small molecules

Water flow through a strong magnetic field, magnetic field of macromolecular group (H₂O) N is divided into bimolecular (H₂O) 2 or single molecule H₂O; magnetic energy can activate water molecules, the water molecules turn into small molecules and became magnetized water. This increase solubility, reduced surface tension, and make the water more easily go through the cell membrane and get involved in metabolism.

* **Anti-fouling**

After the magnetizing treatment, water's electrically charged, impurities in the water also brought electric charge. This changes the original gravitational


association of impurities, conducive to prevent calcium, magnesium and so on in water to combine, to avoid and reduce fouling. That is how magnetization destroys water scale .

*** Sterilization of algae**

In the direct effect of the magnetic field, BOD & COD decrease, so that energy and nutrients for microbial reduced, resulting in bacterial death faster than the rate of proliferation. Most bacteria under the magnetic field, due to inability of adapt to changes in physical and chemical properties of water, dies.

Installation Instructions

- 1.High energy magnetizer is generally installed in the main channel, in front of all equipment that use water, to offer magnetized water to whole house. But can also install in the soft tube inlet or outlet of water purifiers, or under the shower heads.
- 2.Since it has advantages of simple installation, space saving, it can also be installed in each water using equipment's inlet or outlet areas.
- 3.Because there is possibility of reduction of magnetized water, the distance between magnetizer and equipment should not exceed 30 meters, the closer, the better.
- 4.The most suitable temperature for the magnetizer is not over 80 degrees Celsius, if it has to be over 80, then customers need high temperature products.
- 5.After installation, confirm the connection is solid and water source has been connected, check if there is any leakage in the position of connection. Start using after all these are confirmed no wrong.
- 6.Non-professional personnel is not allowed to take magnetizers apart, in case of damaging.



Who's this product for?

*** For the old man**

Regular drinking magnetized water can reduce blood lipids, correct acidity, repair insulin receptor, increase the efficacy of hypoglycemic agents, prevent and dissolve urinary tract and bile duct stones.

*** For the baby**

Use magnetized water with milk powder, can help nutrition absorption, improve gastrointestinal function, promote metabolism, improve immunity, let the baby grow healthily.

*** For our teeth**

Mouthwash with magnetized water, brush teeth, can effectively remove dental calculus, prevent gingivitis, make teeth white and strong.

*** For being beautiful**

Bath with magnetized water to avoid acne formation, slowing allergic skin symptoms, make the skin smooth and soft, strengthen hair roots, to prevent hair loss, and reduce dandruff.

